



AQUEOUS PARTS WASHERS

MADE IN THE
USA!

2412 SERIES



LIGHT DUTY

Cuda's 2412 series of parts washers is an attractive entry-level top-load aqueous parts washer. At only 35 inches wide, the Cuda 2412 Series parts washer has a 250-lb. load capacity, and a 24 inch turntable diameter. While boasting Cuda Series durability. The 115V models make the 2412 especially versatile for use anywhere in the shop.

- **Ideal for replacing sink on drum solvent tanks**
- **Small engine repair**
- **General light duty auto repair**

- Close Coupled Sealed Pump: ½ HP / 20 GPM / 22 PSI
- 250 Lbs. Load Capacity, determined with even weight distribution
- 25 Gal. Sump Capacity
- 4.5 kW Heater / 1.8 kW Heater for 115V model
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 41"L x 35"W x 45"H
- Shipping: 55"L x 48"W x 58"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	HP	Electric Heater (kW)	Ship Wt (lbs)
Standard Models								
2412	1.043-540.0	12"	24"	115/1	15	½	1.8	424
2412	1.043-542.0	12"	24"	230/1	24	½	4.5	424
2412	1.043-541.0	12"	24"	208/1	26	½	4.5	424

Standard Accessories

Part No.	Description
8.642-702.0	Preferred Options Package - Contains Small Parts Basket, Containment Ring, Oil Container

Optional Accessories

Part No.	Description	Part No.	Description
8.725-261.0	Automatic Water Fill	8.924-172.0	Oil Drain Container
8.705-962.0	24" Containment Ring	8.915-143.0	60 Mesh Insert for Debris Screen Tray
8.725-245.0	Deluxe Kit: Detail and Power Brush	9.802-283.0	Hour Meter
8.725-251.0	Detail Brush with Pump	8.642-692.0	Heater Timer, 24 hour 7 day (230V only)
8.642-699.0	Pneumatic Power Brush	8.642-694.0	Heater & Skimmer Timer, 24 hour 7 day
8.753-825.0	Light Duty Medium Parts Basket (16" x 12"x 6")	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")
8.642-689.0	Filtration		

Stainless Optional Accessories

Part No.	Description
8.642-690.0	Stainless Filtration



2518 SERIES



MEDIUM DUTY

The 2518 Series is at the top of our line with ruggedness and automation throughout. It comes standard with a time-tested chain drive assembly, virtually maintenance-free vertical seal-less pump, and disc oil skimmer that can be automated for convenience in disposing of oil. Extra-easy access to the sump and removable debris screen set it apart from other top-loaders on the market.

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 500 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 40"W x 50"H
- Shipping: 66"L x 57"W x 59"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2518	1.043-565.0	18"	25"	230/1	38	869
2518	1.043-564.0	18"	25"	208/1	42	869
2518	1.043-567.0	18"	25"	230/3	23	869
2518	1.043-566.0	18"	25"	208/3	25	869
2518	1.043-568.0	18"	25"	460/3	11	869
2518	1.043-569.0	18"	25"	575/3	9	869

NOTE: Stainless steel models coming soon.

Standard Accessories

Part No.	Description
8.725-260.0	Preferred Options Package - Contains Parts Basket, Containment Ring, Oil Container

Optional Accessories

Part No.	Description	Part No.	Description
8.725-261.0	Automatic Water Fill	8.642-890.0	25" Containment Ring, Stainless Steel
8.731-256.0	25" Containment Ring	8.915-316.0	60 Mesh Insert for Debris Screen Tray
8.725-246.0	Deluxe Kit: Detail and Power Brush	8.725-267.0	Heater Timer, 24 hour 7 day
8.725-252.0	Detail Brush with Pump	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.642-699.0	Pneumatic Power Brush	9.802-283.0	Hour Meter
8.924-172.0	Oil Drain Container	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")
8.725-253.0	Filtration	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")
8.725-254.0	Filtration & Sump Sweep	8.723-214.0	Gray Spray Paint (cannot ship air)

2530 SERIES



MEDIUM DUTY

The Cuda 2530 is the smallest in the front-load automatic parts washer models and is smaller than many solvent tanks. Featuring a turntable diameter of 25-inches, working height of 30-inches, and load capacity of 500 lbs. The 2530 Series is equipped with a 3 HP vertical seal-less pump producing 50 GPM at 45 PSI.

- **Ideal for auto dealers and repair facilities with less than 7 techs**
- **Low volume transmission and diesel repair**
- **Many other applications from amusement parks to ski areas.**

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 500 Lbs. Load Capacity, determined with even weight distribution
- 40 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 48"L x 45"W x 74"H
- Shipping: 66"L x 57"W x 79"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2530	1.043-372.0	30"	25"	230/1	38	985
2530	1.043-368.0	30"	25"	208/1	42	985
2530	1.043-365.0	30"	25"	230/3	23	985
2530	1.043-369.0	30"	25"	208/3	25	985
2530	1.043-366.0	30"	25"	460/3	11	985
2530	1.043-367.0	30"	25"	575/3	9	985
Stainless Steel Models						
2530	1.043-491.0	30"	25"	230/1	38	985
2530	1.043-489.0	30"	25"	208/1	42	985
2530	1.043-486.0	30"	25"	230/3	23	985
2530	1.043-490.0	30"	25"	208/3	25	985
2530	1.043-487.0	30"	25"	460/3	11	985
2530	1.043-488.0	30"	25"	575/3	9	985

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Accessories

Part No.	Description
8.914-906.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.915-143.0	60 Mesh Insert for Debris Screen Tray
8.731-256.0	25" Containment Ring	8.915-120.0	Two-Tier Turntable ●
8.915-145.0	Filtration	8.922-951.0	Stainless Steel Handle Kit, assembled
8.915-144.0	Filtration & Sump Sweep	8.924-172.0	Oil Drain Container
8.915-124.0	4 Hook Parts Tree	9.802-283.0	Hour Meter
8.725-267.0	Heater Timer, 24 hour 7 day	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")
8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump	8.723-214.0	Gray Spray Paint (cannot ship air)

● Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
	Stainless Parts Tree		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

2840 SERIES



MEDIUM DUTY

The Cuda 2840 is the next larger size in the front-load automatic parts washer models. The 2840 features a turntable diameter of 28-inches, working height of 40-inches, and load capacity of 1000 lbs. The 2840 Series is equipped with a 3 HP vertical seal-less pump producing 50 GPM at 45 PSI.

- Ideal for larger auto dealers and repair shops
- Higher volume transmission and diesel repair shops
- Smaller loader tractor implement dealers.

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 1,000 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 50"W x 80"H
- Shipping: 66"L x 57"W x 95"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2840	1.043-395.0	40"	28"	230/1	38	1100
2840	1.043-416.0	40"	28"	208/1	42	1100
2840	1.043-418.0	40"	28"	230/3	23	1100
2840	1.043-417.0	40"	28"	208/3	25	1100
2840	1.043-419.0	40"	28"	460/3	11	1100
2840	1.043-420.0	40"	28"	575/3	9	1100
Stainless Steel Models						
2840	1.043-492.0	40"	28"	230/1	38	1100
2840	1.043-493.0	40"	28"	208/1	42	1100
2840	1.043-498.0	40"	28"	230/3	23	1100
2840	1.043-494.0	40"	28"	208/3	25	1100
2840	1.043-496.0	40"	28"	460/3	11	1100
2840	1.043-497.0	40"	28"	575/3	9	1100

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Accessories

Part No.	Description
8.915-493.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.915-316.0	60 Mesh Insert for Debris Screen Tray
8.705-957.0	28" Containment Ring	8.915-351.0	Two-Tier Turntable ●
8.915-378.0	Filtration	8.924-172.0	Oil Drain Container
8.915-379.0	Filtration & Sump Sweep	9.802-283.0	Hour Meter
8.915-124.0	4 Hook Parts Tree	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")
8.725-267.0	Heater Timer, 24 hour 7 day	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")
8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day	8.723-214.0	Gray Spray Paint (cannot ship air)
8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump		

● Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
	Stainless Parts Tree		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

2848 SERIES



Shown with options

MEDIUM DUTY

The Cuda 2848 features a turntable diameter of 28-inches, working height of 48-inches, and load capacity of 1000 lbs. The 2848 Series is equipped with a 5 HP vertical seal-less pump producing 110 GPM at 50 PSI.

- Ideal for OTR truck and diesel repair facilities
- 6 cylinder diesel engines
- Implement dealers with larger 4-wheel drive tractors.

- Vertical / Seal-less Pump: 5 HP / 110 GPM / 50 PSI
- 1,000 Lbs. Load Capacity, determined with even weight distribution
- 50 Gal. Sump Capacity
- 9 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 51"L x 50"W x 88"H
- Shipping: 66"L x 57"W x 95"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
2848	1.043-422.0	48"	28"	230/1	58	1065
2848	1.043-421.0 †	48"	28"	208/1	64	1065
2848	1.043-394.0	48"	28"	230/3	36	1065
2848	1.043-423.0	48"	28"	208/3	40	1065
2848	1.043-424.0	48"	28"	460/3	17	1065
2848	1.043-425.0	48"	28"	575/3	14	1065
Stainless Steel Models						
2848	1.043-482.0	48"	28"	230/1	58	1065
2848	1.043-481.0	48"	28"	208/1	64	1065
2848	1.043-480.0	48"	28"	230/3	36	1065
2848	1.043-483.0	48"	28"	208/3	40	1065
2848	1.043-484.0	48"	28"	460/3	17	1065
2848	1.043-485.0	48"	28"	575/3	14	1065

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel. † Longer lead time may apply.

Standard Accessories

Part No.	Description
8.915-493.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.915-113.0	Automatic Water Fill	8.725-267.0	Heater Timer, 24 hour 7 day
8.705-957.0	28" Containment Ring	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.915-378.0	Filtration	8.924-172.0	Oil Drain Container
8.915-379.0	Filtration & Sump Sweep	9.802-283.0	Hour Meter
8.916-114.0	12" Height Extension	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")
8.915-124.0	4 Hook Parts Tree	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")
8.915-352.0	Two-Tier Turntable ●	8.753-826.0	Medium Duty Parts Basket (18" x 16" x 8")
8.915-316.0	60 Mesh Insert for Debris Screen Tray	8.723-214.0	Gray Spray Paint (cannot ship air)
8.901-881.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump		

● Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
	Stainless Parts Tree		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

3648 SERIES



HEAVY DUTY

The Cuda 3648 features a turntable diameter of 36-inches, working height of 48-inches, and load capacity of 2500 lbs. The 3648 Series is equipped with a 7.5 HP vertical seal-less pump producing 150 GPM at 50 PSI, and has a 113-gallon sump capacity. It also includes upgraded features such as a more durable control panel, easier to replace handle, stainless steel sump covers, and external plumbing making it the easiest to maintain Cuda yet!

- Ideal for large OTR diesel repair shops
- Large implement dealers
- Construction equipment repair, and engine rebuilders.

- Vertical / Seal-less Pump: 7.5 HP / 150 GPM / 50 PSI
- 2,500 Lbs. Load Capacity, determined with even weight distribution
- 113 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Machine: 57"L x 49"W x 94"H
- Shipping: 63"L x 76"W x 100"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
3648	1.043-477.0	48"	36"	230/3	58	1770
3648	1.043-508.0	48"	36"	208/3	70	1770
3648	1.043-478.0	48"	36"	460/3	32	1770
3648	1.043-479.0	48"	36"	575/3	28	1770
Stainless Steel Models						
3648	1.043-507.0	48"	36"	230/3	58	1770
3648	1.043-509.0	48"	36"	208/3	70	1770
3648	1.043-506.0	48"	36"	460/3	32	1770
3648	1.043-505.0	48"	36"	575/3	28	1770

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

Standard Accessories

Part No.	Description
8.922-632.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.725-267.0	Heater Timer, 24 hour 7 day
8.753-767.0	36" Containment Ring	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.921-972.0	2 Stage Filtration	8.924-172.0	Oil Drain Container
8.921-973.0	Filtration & Sump Sweep, 2 Stage	9.802-283.0	Hour Meter
8.749-396.0	4 Hook Parts Tree	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")
8.921-971.0	Two-Tier Turntable ●	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")
8.749-395.0	60 Mesh Insert for Debris Screen Tray	8.753-826.0	Medium Duty Large Parts Basket (18" x 16" x 8")
8.749-397.0	Deluxe Kit: Detail and Power Brush with Side Sink and Side Sump	8.723-214.0	Gray Spray Paint (cannot ship air)

● Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
	Stainless Parts Tree		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

4860 SERIES



HEAVY DUTY

The Cuda 4860 features a turntable diameter of 48-inches, working height of 60-inches, and load capacity of 5000 lbs. The 4860 Series is equipped with a 7.5 HP vertical seal-less pump producing 200 GPM at 50 PSI, and has a 156-gallon sump capacity.

- **Ideal for large engine rebuilders**
- **Large diesel OTR truck repair and dealers**
- **Construction equipment repair**
- **Large implement dealers**

- Vertical / Seal-less Pump: 7.5 HP / 200 GPM / 50 PSI
- 5,000 Lbs. Load Capacity, determined with even weight distribution
- 156 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Optional 12" Height Extension
- Machine: 75"L x 66"W x 105"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
4860	1.043-444.0	60"	48"	230/3	55	2457
4860	1.043-519.0	60"	48"	208/3	60	2457
4860	1.043-445.0	60"	48"	460/3	32	2457
4860	1.043-446.0	60"	48"	575/3	26	2457
Stainless Steel Models						
4860	1.043-510.0	60"	48"	230/3	55	2457
4860	1.043-520.0	60"	48"	208/3	60	2457
4860	1.043-511.0	60"	48"	460/3	32	2457
4860	1.043-512.0	60"	48"	575/3	26	2457

Note: Standard 4860 ships by flatbed and does not qualify for free freight.

Standard Accessories

Part No.	Description
8.916-220.0	Preferred Options Package - Contains Parts Tree, Small Parts Basket, Containment Ring, Oil-Drain Container

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.725-267.0	Heater Timer, 24 hour 7 day
8.749-392.0	48" Containment Ring	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.916-341.0	2 Stage Filtration	8.924-172.0	Oil Drain Container
8.916-342.0	Filtration & Sump Sweep, 2 Stage	9.802-283.0	Hour Meter
8.916-365.0	12" Height Extension	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")
8.749-395.0	60 Mesh Insert for Debris Screen Tray	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")
8.749-396.0	4 Hook Parts Tree	8.753-826.0	Medium Duty Large Parts Basket (18" x 16" x 8")
8.749-492.0	Two-Tier Turntable ●	8.723-214.0	Gray Spray Paint (cannot ship air)
8.749-397.0	Deluxe Kit: Detail and Power Brush with Side Sink		

● Requires Light Duty Small Parts Basket and Containment Ring sold separately, not for height extended machines

Standard Accessories

Part No.	Description
	Steel Reinforced Door/Cabinet/Apron – Turntable has a floor grate top - Built to last!

Stainless Optional Accessories

Part No.	Description	Part No.	Description
	Stainless Two-Tier Turntable		Stainless Pump Motor
	Stainless Parts Tree		Stainless Oil Bucket
	Stainless Containment Ring		Stainless Steel Handle Kit, assembled

Note: Stainless filtration - please call 1-844-394-4412 for more information.

7248 SERIES

HEAVY DUTY



Approx. scale to 7248 model

Cuda's 7248 features a large 72-inch turntable diameter, allowing users to clean a wide range of industrial components. Its working height stands at 48-inches, and it boasts a load capacity of 5000 lbs. The 7248 series is equipped with a 7.5 HP vertical seal-less pump producing 160 GPM at 45 PSI, and has a 200-gallon sump capacity.

- Ideal for heavy duty cleaning
- Oil and gas industry tools and BOP's
- High volume engine rebuilding
- Railroads and large manufacturing

- Vertical / Seal-less Pump: 7.5 HP / 160 GPM / 45 PSI
- 5,000 Lbs. Load Capacity, determined with even weight distribution
- 200 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer
- Low Water Shutdown
- Roll-In Door
- Push Button Table Jog
- Rear Forklift Extension Pockets protect electrical equipment
- Stainless Steel Sump Access Door
- Machine: 100"L x 85"W x 100"H



Technical data

Model	Part No.	Working Height	Turntable Diameter	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
7248	1.043-516.0	48"	72"	230/3	58	3200
7248	1.043-517.0	48"	72"	460/3	32	3200
7248	1.043-518.0	48"	72"	575/3	26	3200

NOTE: Standard 7248 series ships shrink wrapped on a flatbed and require the contact name and telephone number of the recipient. Does not qualify for the free freight program. Allow additional transit time.

**Call for pricing and to register quotes.
Manufacturer led sales program.**

Available
FEB. 2021

Optional Accessories

Part No.	Description	Part No.	Description
8.749-394.0	Automatic Water Fill	8.725-267.0	Heater Timer, 24 hour 7 day
8.923-103.0	72" Containment Ring	8.725-268.0	Heater & Skimmer Timer, 24 hour 7 day
8.921-972.0	2 Stage Filtration	9.802-283.0	Hour Meter
8.923-102.0	Filtration & Sump Sweep	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")
8.924-172.0	Oil Drain Container	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")
8.924-191.0	60 Mesh Insert for Debris Screen Tray	8.753-826.0	Medium Duty Large Parts Basket (18" x 16" x 8")
8.941-104.0	Middle Spray Arm, Detachable	8.723-214.0	Gray Spray Paint (cannot ship air)

SJ SERIES

MEDIUM DUTY



The newest addition to the Cuda top load line-up, the SJ-15 uses a patented spray wash technology which eliminates the need for a drive motor, gears and pulleys. Using a water-propelled spray arm with 23 nozzles that spin around a stationary parts basket, parts are hit from every angle while being cleaned. It has a 350-lb. load capacity, and a basket dimension of 32" x 21", 90 gallon sump capacity, 3 HP pump motor delivering 37 GPM @ 30 PSI.

- Vertical / Seal-less Pump: 3 HP / 50 GPM / 45 PSI
- 350 Lbs. Load Capacity, determined with even weight distribution
- 90 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer
- Low Water Shutdown
- Heater Timer (7 day / 24 hour)
- Machine: 51"L x 48"W x 49"H
- Shipping: 72"L x 65"W x 59"H



Technical data

Model	Part No.	Working Height	Basket Dimensions	Volt/PH	Total Amps	Ship Wt (lbs)
Standard Models						
SJ-15	1.043-648.0	18"	32" x 21"	230/1	38	1035
SJ-15	1.043-649.0	18"	32" x 21"	230/3	23	1035
SJ-15	1.043-650.0	18"	32" x 21"	460/3	11	1035
SJ-15	1.043-651.0	18"	32" x 21"	575/3	9	1035
SJ-15	1.043-646.0	18"	32" x 21"	208/1	42	1035
SJ-15	1.043-647.0	18"	32" x 21"	208/3	25	1035

Optional Accessories

Part No.	Description	Part No.	Description
8.725-284.0	Automatic Water Fill	9.804-631.0	Pressure Gauge
8.725-276.0	Pneumatic Power Brush	8.712-156.0	Temperature Gauge
8.725-278.0	Detail Brush with Pump	8.725-281.0	Service Tray
8.924-172.0	Oil Drain Container	8.725-282.0	Tool Basket with Tools (includes 3 brushes, 1 scraper)
8.725-283.0	Skimmer Timer, 24 hour 7 day	8.731-254.0	Light Duty Small Parts Basket (8" x 8" x 4")
9.802-283.0	Hour Meter	8.753-825.0	Light Duty Medium Parts Basket (16" x 12" x 6")
8.915-585.0	Porta Kleen Mobile Filter, 120V	8.723-214.0	Gray Spray Paint (cannot ship air)

Coming
QUARTER 4 2021



Cuda Cleaning Systems detergents contain advanced formulas engineered specifically for use in aqueous parts washers. Our advanced formulas include an exclusive multi-metal corrosion inhibitor for rust-protection.

	Part No.	Size	Ship Wt	Description
SMP-1000 Soft Metal Powder	1.014-040.0	40 lbs	42 lbs	Our scented light to medium duty general purpose detergent for plastic, rubber, aluminum, copper, steel, stainless steel and brass. SMP-1000 is powerful detergent specifically formulated to penetrate difficult to remove oil, grease, tar, carbon deposits and heavy soil on soft metal parts. Ships non-hazardous.
	1.014-400.0	400 lb Drum	415 lbs	
	1.014-040.1	48 x 40-lb Pails	1920 lbs	
	Pallet orders receive \$300 freight credit			
CUDA 1993 The Original	1.017-050.40	40 lbs	43 lbs	Cuda 1993 Original is simply the most effective and powerful non-hazardous, biodegradable cleaning detergent on the market. It is a safe multi-metal, alkaline powdered detergent engineered to produce superior cleaning results for aqueous process parts cleaning. Cuda Original performs in all solvent-free, aqueous industrial parts washers and includes a strong rust inhibitor and defoaming agent which eliminates the need for additional products. Ships non-hazardous.
	1.017-450.0	450 lbs	469 lbs	
	1.017-050.1	48 x 40-lb Pails	2445 lbs	
	Pallet orders receive \$500 freight credit			
LRL-1000 Low Residue Liquid	8.698-096.0	5 gal	46 lbs	Effective Cleaning with a Low Residue Finish LRL-1000 effectively removes contaminants and leaves the part's surface ready for assembly, paint, and applications where a fine finish is required. Phosphate-free, this detergent is optimized to remove cutting oils, grease, and moderate soil loads and can be used on a wide variety of materials including iron, steel, stainless steel, aluminium, brass, copper and plastic parts. RECOMMENDED USES: Manufacturing, aerospace, re-manufacturing, final cleaning. Ships hazardous.
	8.698-097.0	55 gal	513 lbs	
MPW-1000 Manual Parts Washer Detergent	8.905-727.0	5 gal	43 lbs	Worker Contact Safe with a Pleasant Citrus Aroma MPW-1000 is a biodegradable, moderate pH, water-based liquid detergent formulated to remove greases, oils and grime that can be used on most surfaces, including steel, stainless steel, brass, aluminium, copper and plastics. Low-cost disposal and peace of mind that it's environmentally friendly. RECOMMENDED USES: Industries using manual parts washer or aqueous parts sinks.
	8.905-727.5	55 gal	510 lbs	
Phosphatizer (liquid)	8.698-008.0	5 gal	51 lbs	One and Done A complete one-step detergent and phosphatizing system for cleaning metal parts and preparing them for painting. RECOMMENDED USES: Use on iron and steel, prep parts for painting.
	8.698-009.0	55 gal	543 lbs	
Defoamer (liquid)	1.016-001.0	4 x 1-gal case	36 lbs	A fast-acting, additive that suppresses foam build up in soak tanks and automatic parts washers. RECOMMENDED USES: Compatible with any metal, painted or plastic pieces that can be cleaned in a parts washer.
	1.016-005.0	5 gal	51 lbs	
	1.016-055.0	55 gal	520 lbs	
Paint and Powder Coat Remover (liquid)	8.905-720.0	5 gal	51 lbs	An alkaline stripper, quickly and effectively dissolves all types of paint and powder coatings. RECOMMENDED USES: Removes paint from iron and steel, not intended for use on aluminum, magnesium or galvanized metals.
Vapor Corrosion Inhibitor VCI (liquid)	1.015-001.0	4 x 1-gal case	36 lbs	A superior blend of rust and corrosion inhibitors that give outstanding protection in both the liquid and vapor phase. RECOMMENDED USES: Protects steel and prevents rust and corrosion in automatic parts washers and the metal parts being cleaned.
	1.015-005.0	5 gal	46 lbs	
	1.015-055.0	55-gal	493 lbs	
Detergent Scoop	8.712-896.0	16 oz.		White Detergent Scoop

PARTS LIST

COMMON PART NUMBERS:	15 MIN TIMER - 87141630	12 HOUR TIMER - 87128330	CR1 RELAY - 87133480
	30 MIN TIMER - 87133570	NO REED - 98041180	RELAY BASE - 87133550
	60 MIN TIMER - 87128320	NC REED - 98041190	

MODEL	V	PH	MFR P/N	TURNTABLE MOTOR	SKIMMER MOTOR	HEATING ELEMENT	PUMP	HEAT CONTACTOR	PUMP CONTACTOR	PUMP OVERLOAD	HEAT FUSE	PUMP FUSE
2216	115	1	10434510	87253710	89046760	87137230	87153950	87508640	87508640	N/A	87148360	N/A
2216	230	1	10434520	87253710	89046760	87128130	87153950	87142900	87508660	87508740	87133690	87149120
2216	208	1	10434530	87253710	89046760	87128130	87153950	87142900	87508660	87508740	87133690	87149120
2216	230	3	10434540	87253710	89046760	87139190	87153960	87508630	87508660	87508720	87132880	87138780
2216	460	3	10434550	87253710	89046760	87141710	87153960	87508640	87508660	87508710	87130660	87130640
2216	575	3	10434560	87253710	89046760	87144540	87153990	87508640	87508660	87508700	87135290	87130690
2216	208	3	10434570	87253710	89046760	87491520	87153960	87508630	87508660	87508720	87133690	87138780
2412	115	1	10435400	87253710	89046760	87141870	87153980	87508640	87508660	N/A	87148360	N/A
2412	208	1	10435410	87253710	89046760	87128130	87153980	87142900	87508660	N/A	87133690	87132870
2412	230	1	10435420	87253710	89046760	87128130	87153980	87142900	87508660	N/A	87133690	87132870
2518	230	1	10433420	87253710	89046760	87166460	87154130	87142900	87508630	87508750	87132910	87132930
2518	208	1	10433800	87253710	89046760	87144910	87154130	87142900	87508630	87508750	87144510	87132930
2518	230	3	10433430	87253710	89046760	87132530	87154140	87508640	87508640	87508740	87132880	87132870
2518	208	3	10433810	87253710	89046760	87145810	87154140	87508640	87508640	87508740	87133690	87132870
2518	460	3	10433440	87253710	89046760	87132540	87154140	87508640	87508640	87508720	87130660	87135290
2518	575	3	10433450	87253710	89046760	87133980	87154150	87508640	87508640	87508710	87135290	87137750
2530	230	1	10433720	87253710	89046760	87166460	87154130	87142900	87508630	87508750	87132910	87132930
2530	208	1	10433680	87253710	89046760	87144910	87154130	87142900	87508630	87508750	87144510	87132930
2530	230	3	10433650	87253710	89046760	87132530	87154140	87508640	87508640	87508740	87132880	87132870
2530	208	3	10433690	87253710	89046760	87145810	87154140	87508640	87508640	87508740	87133690	87132870
2530	460	3	10433660	87253710	89046760	87132540	87154140	87508640	87508640	87508720	87130660	87135290
2530	575	3	10433670	87253710	89046760	87133980	87154150	87508640	87508640	87508710	87135290	87135390
2840	230	1	10433950	87253710	89046760	87166460	87154130	87142900	87508630	87508750	87132910	87132930
2840	208	1	10434160	87253710	89046760	87144910	87154130	87142900	87508630	87508750	87144510	87132930
2840	230	3	10434180	87253710	89046760	87132530	87154140	87508640	87508640	87508740	87132880	87132870
2840	208	3	10434170	87253710	89046760	87145810	87154140	87508640	87508640	87508740	87133690	87132870
2840	460	3	10434190	87253710	89046760	87132540	87154140	87508640	87508640	87508720	87130660	87135290
2840	575	3	10434200	87253710	89046760	87133980	87154150	87508640	87508640	87508710	87135290	87135390
2848	230	1	10434220	87253710	89046760	87129540	87154210	87508670	87143940	87508760	87132940	87132840
2848	208	1	10434210	87253710	89046760	87491910	87491920	87508670	87143940	87508760	87132940	87132840
2848	230	3	10433940	87253710	89046760	87129540	87154220	87508670	87508640	87508750	87132910	87132930
2848	208	3	10434230	87253710	89046760	87491910	87154220	87508670	87508640	87508750	87132910	87132930
2848	460	3	10434240	87253710	89046760	87131790	87154220	87508640	87508640	87508730	87130630	87130670
2848	575	3	10434250	87253710	89046760	87131780	87154240	87508640	87508640	87508720	87130670	87130660
3648	230	3	10434770	87137300	89046760	87129540	87536930	87242760	87242810	87243040	87494320	89162790
3648	460	3	10434780	87137300	89046760	87131790	87536930	87242680	87242720	87243120	87495530	87495540
3648	575	3	10434790	87137300	89046760	87131780	87536940	87242680	87242720	87243030	87495550	87495560
4860	230	3	10434440	87137300	89046760	87129540	87350110	87508680	87508670	87508760	87494320	89162790
4860	460	3	10434450	87137300	89046760	87131790	87350110	87508670	87508640	87508740	87495530	87495540
4860	575	3	10434460	87137300	89046760	87131780	87495440	87508670	87508640	87508730	87495530	87495560
SJ-15	230	1	10434580	N/A	89046760	87166460	87154130	87508630	87508640	87508750	87132910	87132930
SJ-15	230	3	10434590	N/A	89046760	87132530	87154140	87508630	87508630	87508740	87132880	87132870
SJ-15	460	3	10434600	N/A	89046760	87132540	87154140	87508640	87508640	87508740	87130660	87135290
SJ-15	575	3	10434610	N/A	89046760	87144540	87154150	87508660	87508660	87508710	87135290	87135390
SJ-15	208	1	10434620	N/A	89046760	87148910	87154130	87508630	87508640	87508750	87144510	87132930
SJ-15	208	3	10434630	N/A	89046760	87145810	87154140	87508630	87508640	87508740	87133690	87132870

MODEL	V	PH	TRANSFORMER	PRIMARY FUSE	SECONDARY FUSE	TORQUE LIMITER	T-STAT	FLOATS	CHAINS	NOZZLES (QTY)
2216	115	1	N/A	87148360	N/A	87140080	87135930	87065180	87128580	87127750 (3)
2216	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87128580	87128700 (2)
2216	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87128580	87129730 (2)
2216	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87128580	N/A
2216	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87128580	N/A
2216	575	3	87139070	87130810	87130780	87140080	87130300	87065180	87128580	N/A
2216	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87128580	N/A
2412	115	1	N/A	N/A	N/A	N/A	87135930	87142260	N/A	87127770 (5) 87142020 (3)
2412	208	1	87168950	87132860	87130780	N/A	87135930	87142260	N/A	87127770 (5) 87142020 (3)
2412	230	1	87168750	87132860	87130780	N/A	87135930	87142260	N/A	87127770 (5) 87142020 (3)
2518	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87139560	87129730 (9)
2518	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87139560	87129730 (9)
2518	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2518	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2518	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2518	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2530	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87141510	87127750 (12) 87080750 (2)
2530	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87141510	87127750 (12) 87080750 (2)
2530	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87141510	87127750 (12) 87080750 (2)
2530	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87141510	87127750 (12) 87080750 (2)
2530	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87141510	87127750 (12) 87080750 (2)
2530	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87141510	87127750 (12) 87080750 (2)
2840	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87141500	87127750 (12) 87080750 (2)
2840	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87141500	87127750 (12) 87080750 (2)
2840	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87141500	87127750 (12) 87080750 (2)
2840	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87141500	87127750 (12) 87080750 (2)
2840	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87141500	87127750 (12) 87080750 (2)
2840	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87141500	87127750 (12) 87080750 (2)
2848	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87141500	87129730 (18) 87491930 (22) 87080750 (2)
2848	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87141500	**87491930 is w/12" ext.** 87080750 (2)
2848	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87141500	87129730 (18) 87491930 (22) 87080750 (2)
2848	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87141500	**87491930 is w/12" ext.** 87080750 (2)
2848	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87141500	87129730 (18) 87491930 (22) 87080750 (2)
2848	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87141500	**87491930 is w/12" ext.** 87080750 (2)
3648	230	3	87139110	87139200	87135740	87140090	87135930	87121320	87537930	87129730 (21) 87080750 (2)
3648	460	3	87139110	87136860	87135740	87140090	87135930	87547180	87537930	87129730 (21) 87080750 (2)
3648	575	3	87141840	87136860	87135740	87140090	87135930	87547180	87537930	87129730 (21) 87080750 (2)
4860	230	3	87139110	87139200	87135740	87140090	87130300	87065180	87129880	87129730 (26) 87080750 (2)
4860	460	3	87139110	87136860	87135740	87140090	87130300	87065180	87129880	87129730 (26) 87080750 (2)
4860	575	3	87141840	87136860	87135740	87140090	87130300	87065180	87129880	87129730 (26) 87080750 (2)
SJ-15	230	1	87168750	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	230	3	87168750	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	460	3	87168750v	87130800	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	575	3	87139070	87130800	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	208	1	87168950	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	208	3	87168950	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)

Contact us for more information:

Cuda Cleaning Systems

PO Box 846, 600 21st St. SW
Watertown, SD 57201

For sales and technical support call:
844-394-4412 (toll free)

Please send all sales inquiries and purchase orders to:
sales@cudausa.com

